

AQ GUARD SMART 2000 AIR QUALITY MEASUREMENT

Monitoring of Ultrafine Particles

Made in Germany

Precise measurement of ultrafine dust with AQ GUARD SMART 2000

Ultrafine particles (UFP) significantly impact our health – confirmed by the World Health Organization (WHO). However, optical aerosol photometers or spectrometers can hardly or not at all detect them due to their small size.

AQ GUARD SMART 2000 was specially designed for use in the ultrafine particle range. The compact and easy-to-use measuring device closes the gap between classical condensation particle counters (CPC) and optical systems and convinces by its price-performance ratio.

The **AQ GUARD SMART 2000** is suitable as a quality control instrument to check and compare concentrations or detect trends and deviations.

Long-term measurements for the evaluation of number concentrations indoors and outdoors are thus easily and reliably possible, for example, at highly polluted locations such as seaports and airports, main roads, forwarding agencies, or even toll and border stations. But the **AQ GUARD SMART 2000** is also used for formation and dispersion studies.

Application examples



SEAPORTS



SMART CITY



TRAFFIC JUNCTIONS





INDUSTRIAL PLANTS



DISPERSION STUDIES

Principle of operation

AQ GUARD SMART 2000 is a reliable instrument for simple yet accurate monitoring of particle number concentrations for UFP working fluids.

The LDSA (Lung Deposited Surface Area) concentration can also be determined: a measure of the adverse health effects of aerosol particles that has now become an indicator for describing exposure to ultrafine particles.

AQ GUARD SMART 2000 is low-maintenance and runs smoothly over more extended periods of time without recalibration. Data transfer options are versatile, ranging from USB, Ethernet (LAN), Wi-Fi, 3G/4G via modem to LoRaWAN (optional).

AQ GUARD SMART 2000 is MyAtmosphere-ready. A connection to the Palas[®] Cloud MyAtmosphere offers additional advantages. Operators (private or governmental) can thus retrieve current measured values directly and compare them directly with other devices. Via an optional programming interface (API), MyAtmosphere can also be integrated into your own environments.



Special advantages and benefits

LATEST TECHNOLOGY

- Simple and accurate monitoring of particle number concentration for UFP
- Fast commissioning and immediate acquisition of measured values via the МуАтмозрнеке cloud
- Situational configuration via Wi-Fi hotspot, remote access as well as external touchpad
- Communication via GPRS / 3G / 4G / Ethernet / Wi-Fi, optional: LoRaWAN
- Expandable with weather station

DIFFERENT MEASUREMENTS

- Measurement of particle concentration as well as LDSA (Lung Deposited Surface Area)
- Measuring range number $C_N > 1,000$ particles/cm³ as well as size from 0.01 µm
- Measuring principle of diffusion charging

BEST PRICE-PERFORMANCE RATIO

• Reliable alternative or supplement to CPC and SMPS systems

Technical features

Measuring principle	Diffusion charging
Reported data	C _N , average diameter X50, LDSA (Lung Deposited Surface Area), pressure, temperature, relative humidity
Measurement range (number $C_{_N}$)	1,000 – 10,000,000 particle/cm ³
Measurement range (size)	0.01 – 1 μm
Weight	Approx. 6 kg
Installation conditions	0 - +40 °C
Interfaces	USB, Ethernet (LAN), Wi-Fi, 3G/4G via modem, optional: LoRaWAN
Protocols	UDP, ASCII, Modbus
Data Management	Prepared for connection to the Palas® Cloud MyAtmosphere ("MyAtmosphere-ready")*
Dimensions (H • W • D)	530 • 270 • 208 mm
Special features	Heated inlet, mast / tripod mount

More measurement devices

... for air quality monitoring in real time.

In addition to the AQ GUARD SMART 2000, the AQ GUARD SMART SYSTEM consists of the AQ GUARD SMART 1000, the AQ GUARD SMART 1100 as well as the AQ GUARD SMART 1200*. The MCERTS Indicative certified particulate matter devices can detect PM₁, PM_{2.5}, PM₄, PM₁₀, TSP (optional: SO₂, NO₂, O₃, CO, TVOC, CO₂).

... for precise nanoparticle measurements.

Our nanoparticle measurement systems UF-CPC and ENVI-CPC measure the number concentration of ultrafine aerosols from D50=4nm , alternatively according to CEN/TS 16976:2016 from D50=7nm resp. 10nm.









Palas[®] is a leading developer and manufacturer of high precision instruments for the generation, measurement and characterization of particles in air.

With more than 30 active patents, Palas[®] develops technologically leading and certified fine dust and nanoparticle analyzers, aerosol spectrometers, generators and sensors as well as related systems and software solutions. Palas[®] was founded in 1983 and employs more than 100 people.

Palas GmbH

Greschbachstrasse 3 b | 76229 Karlsruhe Telefon: +49 721 96213-0 www.palas.de